

AHSAA Homeschool Student Eligibility Exams Algebra II		
Standard Reference	Standard Text	Percentage of Test Items
N	Number and Quantity	29%
N-CN	The Complex Number System	
	Perform arithmetic operations with complex numbers.	
N-CN.1	Know there is a complex number $i$ such that $i^2 = -1$ , and every complex number has the form $a + bi$ with $a$ and $b$ real.	
N-CN.2	Use the relation $i^2 = -1$ and the commutative, associative, and distributive properties to add, subtract, and multiply complex numbers.	
N-CN.3	Find the conjugate of a complex number; use conjugates to find moduli and quotients of complex numbers.	
	Use complex numbers in polynomial identities and equations.	
N-CN.4	Solve quadratic equations with real coefficients that have complex solutions.	
N-CN.5	Extend polynomial identities to the complex numbers.	
N-CN.6	Know the Fundamental Theorem of Algebra; show that it is true for quadratic polynomials.	
N-VM	Vector and Matrix Quantities	
	Perform operations on matrices and use matrices in applications.	
N-VM.7	Use matrices to represent and manipulate data, e.g., to represent payoffs or incidence relationships in a network.	
N-VM.8	Multiply matrices by scalars to produce new matrices, e.g., as when all of the payoffs in a game are doubled.	
N-VM.9	Add, subtract, and multiply matrices of appropriate dimensions.	
N-VM.10	Understand that, unlike multiplication of numbers, matrix multiplication for square matrices is not a commutative operation, but still satisfies the associative and distributive properties.	
N-VM.11	Understand that the zero and identity matrices play a role in matrix addition and multiplication similar to the role of 0 and 1 in the real numbers. The determinant of a square matrix is nonzero if and only if the matrix has a multiplicative inverse.	
A	Algebra	31%
A-SSE	Seeing Structure in Expressions	
	Interpret the structure of expressions	
A-SSE.12	Interpret expressions that represent a quantity in terms of its context.	
A-SSE.12.a	Interpret parts of an expression, such as terms, factors, and coefficients.	
A-SSE.12.b	Interpret complicated expressions by viewing one or more of their parts as a single entity.	
A-SSE.13	Use the structure of an expression to identify ways to rewrite it.	

Standard Reference	Standard Text	Percentage of Test Items
	Write expressions in equivalent forms to solve problems	
A-SSE.14	Derive the formula for the sum of a finite geometric series (when the common ratio is not 1), and use the formula to solve problems.	
A-APR	Arithmetic with Polynomials and Rational Expressions	
	Perform arithmetic operations on polynomials	
A-APR.15	Understand that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition, subtraction, and multiplication; add, subtract, and multiply polynomials.	
	Understand the relationship between zeros and factors of polynomials	
A-APR.16	Know and apply the Remainder Theorem: For a polynomial $p(x)$ and a number $a$ , the remainder on division by $x - a$ is $p(a)$ , so $p(a) = 0$ if and only if $(x - a)$ is a factor of $p(x)$ .	
A-APR.17	Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial.	
	Use polynomial identities to solve problems	
A-APR.18	Prove polynomial identities and use them to describe numerical relationships.	
	Rewrite rational expressions	
A-APR.19	Rewrite simple rational expressions in different forms; write $a(x)/b(x)$ in the form $q(x) + r(x)/b(x)$ , where $a(x)$ , $b(x)$ , $q(x)$ , and $r(x)$ are polynomials with the degree of $r(x)$ less than the degree of $b(x)$ , using inspection, long division, or, for the more complicated examples, a computer algebra system.	
A-CED	Creating Equations	
	Create equations that describe numbers or relationships	
A-CED.20	Create equations and inequalities in one variable and use them to solve problems.	
A-CED.21	Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.	
A-CED.22	Represent constraints by equations or inequalities, and by systems of equations and/or inequalities, and interpret solutions as viable or non-viable options in a modeling context.	
A-CED.23	Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations.	

Standard Reference	Standard Text	Percentage of Test Items
A-REI	Reasoning with Equations and Inequalities	
	Understand solving equations as a process of reasoning and explain the reasoning	
A-REI.24	Solve simple rational and radical equations in one variable, and give examples showing how extraneous solutions may arise.	
	Solve equations and inequalities in one variable	
A-REI.25	Recognize when the quadratic formula gives complex solutions, and write them as $a \pm bi$ for real numbers $a$ and $b$ .	
	Solve systems of equations	
A-REI.26	Find the inverse of a matrix if it exists and use it to solve systems of linear equations (using technology for matrices of dimension $3 \times 3$ or greater).	
	Represent and solve equations and inequalities graphically	
A-REI.27	Explain why the $x$ -coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$ ; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where $f(x)$ and/or $g(x)$ are linear, polynomial, rational, absolute value, exponential, and logarithmic functions.	
F	Functions	29%
F-CS	Conic Sections	
	Understand the graphs and equations of conic sections.	
F-CS.28	Create graphs of conic sections, including parabolas, hyperbolas, ellipses, circles, and degenerate conics, from second-degree equations.	
F-CS.28.a	Formulate equations of conic sections from their determining characteristics.	
F-IF	Interpreting Functions	
	Interpret functions that arise in applications in terms of the context	
F-IF.29	Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes.	
	Analyze functions using different representations	
F-IF.30	Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.	
F-IF.30.a	Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions.	
F-IF.30.b	Graph polynomial functions, identifying zeros when suitable factorizations are available, and showing end behavior.	
F-IF.30.c	Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period, midline, and amplitude.	

Standard Reference	Standard Text	Percentage of Test Items
F-IF.31	Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.	
F-IF.32	Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions).	
F-BF	Building Functions	
	Build a function that models a relationship between two quantities	
F-BF.33	Write a function that describes a relationship between two quantities.	
F-BF.33.a	Combine standard function types using arithmetic operations.	
	Build new functions from existing functions	
F-BF.34	Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$ , $k f(x)$ , $f(kx)$ , and $f(x + k)$ for specific values of $k$ (both positive and negative); find the value of $k$ given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology.	
F-BF.35	Find inverse functions.	
F-BF.35.a	Solve an equation of the form $f(x) = c$ for a simple function $f$ that has an inverse and write an expression for the inverse.	
F-LE	Linear, Quadratic, and Exponential Models	
	Construct and compare linear, quadratic, and exponential models and solve problems	
F-LE.36	For exponential models, express as a logarithm the solution to $ab^t = c$ to the $ct$ power = $d$ where $a$ , $c$ , and $d$ are numbers and the base $b$ is 2, 10, or $e$ ; evaluate the logarithm using technology.	
S	Statistics and Probability	11%
S-MD	Using Probability to Make Decisions	
	Use probability to evaluate outcomes of decisions	
S-MD.37	Use probabilities to make fair decisions (e.g., drawing by lots, using a random number generator).	
S-CP	Conditional Probability and the Rules of Probability	
	Understand independence and conditional probability and use them to interpret data	
S-MD.38	Analyze decisions and strategies using probability concepts (e.g., product testing, medical testing, pulling a hockey goalie at the end of a game).	
S-CP.39	Describe events as subsets of a sample space (the set of outcomes) using characteristics (or categories) of the outcomes, or as unions, intersections, or complements of other events (“or,” “and,” “not”).	
S-CP.40	Understand the conditional probability of $A$ given $B$ as $P(A \text{ and } B)/P(B)$ , and interpret independence of $A$ and $B$ as saying that the conditional probability of $A$ given $B$ is the same as the probability of $A$ , and the conditional probability of $B$ given $A$ is the same as the probability of $B$ .	

Standard Reference	Standard Text	Percentage of Test Items
S-CP.41	Construct and interpret two-way frequency tables of data when two categories are associated with each object being classified. Use the two-way table as a sample space to decide if events are independent and to approximate conditional probabilities.	
S-CP.42	Recognize and explain the concepts of conditional probability and independence in everyday language and everyday situations.	
	Use the rules of probability to compute probabilities of compound events in a uniform probability model	
S-CP.43	Find the conditional probability of A given B as the fraction of B's outcomes that also belong to A, and interpret the answer in terms of the model.	
S-CP.44	Apply the Addition Rule, $P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$ , and interpret the answer in terms of the model.	
S-CP.45	Apply the general Multiplication Rule in a uniform probability model, $P(A \text{ and } B) = P(A)P(B A) = P(B)P(A B)$ , and interpret the answer in terms of the model.	
S-CP.46	Use permutations and combinations to compute probabilities of compound events and solve problems.	